


Amdro Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company.

| AMDERO - COM
| 1-800-265-0761 | gardendivision@central.com



STORAGE AND DISPOSAL

Pesticide Storage: Store product in original container in a locked storage area. Use within 3 months after opening.

Pesticide Disposal: If portially filled — Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Container Handling: Nonrefillable container. If empty — Do not reuse or refill this container. Place in trash or offer for recycling if available.

NOTICE: To the extent consistent with applicable law, Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



- WHY THIS PRODUCT IS SO EFFECTIVE:

 This product is highly attractive to many ant species. The granules are carried directly into the mound by workers as food for the colony.
- Inside the mound, this product is passed to the queen, as well as other ants. By the end of one to four weeks, the queen and most of the ants in the mound will have eaten this product and died.
- (3) When the queen is dead, no new worker ants can be produced, so the mound dies.
- Ants think that this product is food. They carry it into the colony and share it with other ants and the queen. When the queen dies, the colony dies.

Product Information: This product is attractive to many ant species, and the delayed action of hydramethylnon allows foraging ants to bring the ant bait back to the nest so that the entire colony, including the queen(s), is destroyed. You should see fewer ants within a week of treatment. Some species may require additional applications to achieve maximum control.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Wash hands with soap and water promptly after use.**

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of <u>read during application</u>, who did making applications if it is likely to rain within 24 hours of application, except when applying directly adjacent to a structure that is permanently protected from rainfall by a covering, overhang, awning, or other structure. Avoid applying granules to impervious surfaces, except as a crack-and crevice treatment. Do not use this product on vegetable or other food crops. This product will retain its effectiveness for up to 3 months after the package has been opened. This product is not for use on crops, timber, plants or turf grown for sale or other commercial use, or for commercial seed production or for research purposes.

**Dis product is not for use on crops, timber, plants or turf grown for sale or other commercial use, or for commercial seed production or for research purposes.

Outdoor Use: This product controls acrobat ants, Allegheny mound ants, Argentine ants, bigheaded ants, black turf ants, carpenter ants, citronella ants, cornfield ants, crazy ants, field ants, fire ants (imported and native), ghost ants, harvester

ants, honey ants, lawn ants, little black ants, nuisance ants, odorous house ants, pavement ants, Pharaoh ants, pyramid ants, Southern ants, thief ants, white-footed ants and the Texas leafcutting ant. This product is for use on lawns, landscaped areas, ornamental gardens, forested areas as well as on grounds surrounding poultry houses (excluding runs and ranges) or corrals and other animal holding areas. Avoid direct exposure of animals to the granules, Refer to the Use Rate Table for directions. Do not graze or feed treated lawn or sod clippings to livestock.

Use Precautions: Applications can be made any time that ants are active. However, this product should not be applied to wet ground or grass, or if rain is expected within 24 hours, or when temperatures are below 50°F. Avoid leaving the bait exposed to direct sunlight for prolonged periods. During hot weather, application is best performed in the early morning or early evening when temperatures are cooler and ants are active. Check treated colonies/mounds for ant activity 30-40 days after treatment. Repeat applications to individual mounds as needed.

TREATMENT	RATE	COMMENTS
INDIVIDUAL MOUNDS: Texas kafcutting ant	3/4 LB./	Locate the central concentration of mounds, indicating the location of the colony, Apply bait directly not oand around mounds using a disposable spoon or measuring cup. Do not contaminate kitchen utensis by use or storage. Do not apply more than 2.0 Ub. per acre.
ROPYDUAL MOUNDS: acrobat ants. Alegheny mound ants, Argentine ants, bigheaded ants, blackturd ants, carpenter ants, citronella ants, comfield ants, crazy ants, field ants, fire ants (imported and native), glost ants, b, museter ants, honey ants, lawn ants, little black ants, nuisance ants, odown bouse ants, pavement ants, Phirarabh ants, pyramid ants, Southern ants, thirel ants, white-footed ants	1 to 2½ oz. per mound	For Fire Ants, sprinde bait around the mound, taking care to not disturb the mound. For all other listed ant species, sprinke bait directly onto and around mounds using a disposable spoon or measuring cup. Do not contaminate kitchen utensish by use or storage. Do not apply more than 2.0 lb. per acre.