



| FI | <b>RST</b> | ΔΙ | n |
|----|------------|----|---|

SWALLOWED

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomining unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF IN EYES

Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 Remove contact lenses, if present, after the first 5 minutes, then continuer rinsing eye.
 Lall appoison control center or doctor for treatment advice.

HOTLINE NUMBER
Have the product container of label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1: (800)-255-0761 for Emergency Assistance.

# NOTE TO PHYSICIAN

Skin contact (vapor or powder) may be followed by transient tingling or numbness, usually of the face, but this subsides without treatment. This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive.

For Information Regarding the Use of this Product Call 1-800-265-0761.

# **PRECAUTIONARY STATEMENTS**

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish, aquatic invertebrates, oysters and shrimp. This pesticide is extremely toxic to fish, aquatic invertebrates, oysters and shrimp. To protect the environment, do not allow pesticide to enter or run off into storm drains, drianage ditches, gutters or surface waters. Applying this product in calm weather when rains ont perdicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help a void on off to water bodies or drainage systems. Care should be used when spraying to avoid fish and reptile pets infaround ornamental ponds. This product is highly toxic to bees exposed to direct retartement or residues on Mooming crops or weeds. On on apply this product allow it to drift to blooming crops or weeds. On on apply this product allows it to drift to blooming crops or weeds. So not apply this product allows it to drift to blooming crops or weeds if bees are for aging the treatment area.

# **STORAGE AND DISPOSAL**

Pesticide Storage: Store in original container in a cool dry area away from heat or open flame and in an area inaccessible to children & pets. Keep from freezing. open management and management accessing to open more personal models. PESTICIDE DEPOSA AND CONTAINER HANDLING: Nonetilplate container. Do not reuse or refill, I frempty: place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Distributed by: Central Garden & Pet, Garden Division 1000 Parkwood Circle, Suite 700 Adanta, GA 30339

# AMDR().com

1-800-265-0761 gardendivision@central.com

лышпа, ин элэээ EPA Reg. No. 279-3347-90098 EPA Est. No. 92162-MO-101<sub>12</sub> 33595-MO-6<sub>12</sub> 67572-GH-1<sub>12</sub> 67572-GH-2<sub>12</sub> 59144-GH-1<sub>2</sub> Subscript used is first letter of Run Code on container



Amdro Quick Kill, Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company.

300534535 AM1086\_V8-04/23

# STORAGE AND DISPOSAL

Pesticide Storage: Store in original container in a cool dry area away from heat or open flame and in an area inaccessible to children & pets. Keep from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill. If empty: place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### $Conditions \, of \, Sale \, and \, Limitation \, of \, Warranty \, and \, Liability$

Communism stage in Unincation in warrain any antication. The Directions of the Section Section 1 the Direction of the Office of the Section 1 the University of the Section 1 the University of the Section 1 the Se



# FOR LAWN & LANDSCAPE

### READY TO SPRAY

PEOPLE & PETS
MAY RE-ENTER
TREATED AREA
AFTER SPRAY DRIES
OR YOUR
MONEY BACK

| WHERE<br>TO USE    | Lawns, Trees and Shrubs, Roses and Flowers  |  |
|--------------------|---|--|
| KILLS              | Ants, Mosquitoes, Armyworms, Cutworms, Tent Caterpillar,<br>Millipedes, Silverfish, Earwigs, Cockroaches, Fleas, Spiders,<br>Crasshoppers, Crickets, Chinch Bug, Whitefly, Aphids, Brown<br>Dog Tick, Wasps & Yellow Jackets, Carpenter Bees and other<br>listed lawn & garden pests. |  |
| WHEN<br>TO USE     | To treat lawns and vegetation: When insects or damage<br>first appear. When using as perimeter treatment: Early in<br>season or when insects appear   |  |
| HOW MUCH<br>TO USE | Mixes automatica∎y as you spray   |  |
| COVERAGE           | TREATS 4,267 SQ FT  |  |

Distributed by: Central Garden & Pet, Garden Division 1000 Parkwood Circle, Suite 700 Atlanta, GA 30339

EPA Reg. No. 279 3347-40098 EPA Est. No. 92162-40-001, 33595-400-6, 67572-GA-1, 67572-GA-2, 59144-GA-1, Subscript used is first letter of Run Code on container.

 $See\ Inside\ Back\ Book\ I et\ for\ Precautionary\ Statements,\ First\ Aid\ and\ Complete\ Directions\ For\ Use.$ 

300534535 AM1086\_V8 - 04/23



AMDRO.com

1-800-265-0761 | gardendivision@central.com



CENTRAL SARDEN & PET

Amdro Quick Kill, Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company.

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

### USE RESTRICTIONS

Do not treat pets with this product.

Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Do not allow adults, children, or pets to enter the treated area until sprays

Remove pets, birds, and cover fish aquariums before spraying.

void contamination of food and feedstuffs. Remove or cover exposed food and drinking water before application.

Do not use in food handling establishments in which food is held, processed, prepared, and/or served.

Do not apply directly to animals. Do not use in aircraft.

### FOR OUTDOOR USES

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

(1) Treatment to soil or vegetation around structures;

(2) Applications to lawns, turf, and other vegetation;

(3) Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces including sidewalks, driveways, patios, porches and structural surfaces (including windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

Do not water the treated area to the point of run-off.
Do not make applications during rain.
Application is prohibited directly into sewers or drains, or to any area like

a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.

Do not allow this product to enter any drain during or after application.

NOTE: The application of this product to vinyl and aluminum siding (particularly Note: The application of this product to viryly and authorium stoning particularly lightly colored, aged, weathered or otherwise damaged may result in staining, bleaching or discoloration. Factors including extreme heat and direct sunlight can promote damage. Before applying this product to viryl or aluminum siding, treat a small area and evaluate 30 minutes later to allow any potential staining to occur. Regardless of the test results, do not apply to viryl or aluminum siding while exposed to direct sunlight or during the heat of the day.

### **HOW TO USE READY TO SPRAY**

- 1 Shake Well
- Make sure control lever is in the OFF position. Attach to hose.

- **Spray**1. Aim towards direction of application and away from you.
- 2. Turn control lever to ON to begin spraying.
- Spray evenly and as directed for specified type of treatment area. Finish/Store

- When finished turn controllever to OFF.
- 2. Turn faucet OFF. Discharge residual water pressure by turning control lever
- 3. Disconnect Sprayer and Store / Discard as instructed.

# **HOW TO USE - OUTDOORS**

#### **NUISANCE PESTS ON OUTDOOR SURFACES**

# To Kill Ants, Earwigs and other named Pests on Outside Surfaces and Around Buildings

- Apply to point before run-off to vegetation including bushes and trees around buildings and other structures.

For ants, apply to any trails, spots, cracks and crevices only, around doors and windows and other places where ants may be found.

To prevent pests from entering buildings, apply solution to a band of soil and vegetation up to 7 feet wide around and adjacent to the building.
Also, treat the building foundation to a height of up to 3 feet where pests are active and may find entrance. Thoroughly and uniformly wet the band area, using 1 quart per 2,133 sq. ft.

• The surface to be treated should be dry at the time of application.

#### To Kill Fleas and Mosquitoes Outdoors

For best results, locate areas where these pests are most active or may

Treat using 1 quart per 2,133 sq ft. Use a coarse spray to ensure thorough coverage.

Around buildings, apply an uninterrupted band up to 7 feet wide around the perimeter of the building and up to 3 feet along the side or foundation of the building.

#### To Kill Carpenter Ants and Termites Outdoors

Apply to carpenter ant trails, or as a spot or crack and crevice treatment only around doors and windows and other places where carpenter ants have been observed or are expected to forage.

For best results, locate and treat carpenter ant nests.

Apply a perimeter treatment as described above.

To protect firewood from carpenter ants (and termites), apply to the soil beneath where the firewood will be stacked. Use 1 quart to treat 2,133 square feet. DO NOT treat firewood with this product.

 Do not use this product as the sole source of control for active. Do not use this product as the sole source of control for active, structural infestations by subterranean termites; the purpose of this application is to kill workers or winged reproductive forms of termites which are present at the time of treatment. It is not intended to which are present at the time of treatment. It is not intended to provide structural pest control. It is not a substitute for mechanical alteration, soil and foundation treatment, but merely a supplement. For active, structural infestations by subterranean termites, this product can only be used to supplement a federally registered conventional product that is registered as a sole source for termite control. This product will not eliminate termite infestations or provide protection against future infestation.

### To Kill Bees and Wasps Outside

Application to nests should be made late in the evening when insects

•Thoroughly spray nest and entrance and surrounding areas where insects alight.

### To Kill Blacklegged and Brown Dog Ticks Outdoors

• To prevent infestation of the home, treat soil and vegetation around the exterior perimeter of the home as described above.

Treat soil and vegetation adjacent to wooded areas on the property

where blacklegged and brown dog ticks may be harboring. - Treat areas of taller vegetation up to 3 ft, around the exterior of the property.

Spray to wet, do not apply to the point of runoff.

· Treatment should be applied thoroughly and uniformly.

# Treatment of Wood-in-Place to Kill Exposed Stages of Wood-Infesting

- For the control of insects including Termites, Ants and Carpenter Ants in localized areas of infested wood in and around structures, apply to voids and galleries in damaged wood and in spaces between wooden members of a structure and between wood and foundations where wood is vulnerable. Not intended to replace structural treatments.

### **LAWNS**

# To Kill Ants, Fire Ants, Beetles, Chinch Bugs, Sod Webworms, Weevils and other listed Pests in Lawns

- Uniformly apply over lawn. Contents will treat using 1 quart per
   2 133 so ft of lawn.
- If possible, mow before application. Lawn should not be longer than 3 inches at the time of application.
- Repeat application is necessary only if there are signs of renewed insect activity.

#### To Kill Fleas, Spiders, Grasshoppers and Crickets

Uniformly apply over lawn. Contents will treat up to 2,133 sq.ft. of lawn.
 If possible, mow before application. Lawn should not be longer than 3 inches at the time of application. Repeat application is necessary only if there are signs of renewed insect activity.

#### To Kill Fleas and Mosquitoes

- For best results, locate areas where these pests are most active or may become active.
- Treat using 1 quart per 2,133 sq.ft.
- Apply uniformly over lawn. Treat area directly using a coarse spray until
  thoroughly wet. Do not apply to the point of runoff.

### Ant Mound Treatments

- -To treat ant mounds including imported fire ant mounds, focus the spray to fully soak each mound and the immediate surrounding area. Use 1 quart to treat 40 mounds.
- · For best results, apply in cool weather, including in early morning or late evening hours, but not in the heat of the day.

# ORNAMENTALS, ROSES, FLOWERS AND TREES

To Kill Ants, (including cut ants), Aphids, Bagworms, Earwigs, Sow Bugs, Millipedes, Beetles, Weevils, Plant Bugs, Leaf-cutting Bees, Sawflies, Caterpillars, Moths and other listed pests on Ornamentals, Roses, Ffbrom and Trees

- Spray up to the point of run-off making sure to cover all sides of leaves and trunk. Retreat if pests return.
- For ground covers, bedding plants, foliage, annuals and perennials, apply as a uniform spray. I quart will treat between 2,133 and 4,267 sq.ft. Repeat treatment as necessary to a chieve control using higher application rates as pest pressure & foliage area increases. Repeat application should be limited to no more than once per seven days. NOTE: Certain plants may be sensitive to the final spray solution. A limited area should be treated and observed for one week prior to application to the entire planting.

### **PESTS CONTROLLED**

### Caterpillars, Butterflies and Moths

Tent forming caterpillars, cocoon forming caterpillars, chrysalis forming caterpillars.

Leaf feeding caterpillars (including leaves of flowering plants, bushes and other ornamentals, vegetables and trees), azalea leafminers, green cloverworm, fruit eating caterpillars, legume feeding caterpillars, vegetable feeding caterpillars, stem and trunk boring caterpillars, and leafrolling caterpillars.

Caterpillars of the Yucca Moth family including Fairy moths and Yucca moths. Cluthes moth family, bagworm moth family, Gedechiin dnoth family including Patalot to ther moths; Ermine Moth family, including Alandthus Webworm moth; Clear Winged moth family including Manroot borer, Squash Vine borer, Doll's Clearwing moth, California Sycamore borer; Tortricid Moth family (millers) including Fruit Tree Leafroller moth, Drange Tortric, and Coding moth; Schiepers including Least Skipper, Silver-spotted Skipper, and Long-tail Skipper; Sudolwatali, Garba Swiper, Swallowtali, Garba Swallowtali, Catera Swallowtali, Spicebush Swallowtali, and Phoebus; Whites, Sutherns And Grange Tips, Family including Sara Orange Tip, Great Southern White, and European Cabbage Butterfly; Gossamer-Winged Butterflies Family including Great Purple Hairstreak, Spring Azure, Early Hairstreak, Eastern Tailed Duke, Harvester, Silvery Blue, Brown Ellin, Marine Blue, American Copper, and Gray Hairstreak, Spring Azure, Early Hairstreak, Eastern Tailed Duke, Waterster, Silvery Blue, Brown Ellin, Marine Blue, American Copper, and Gray Hairstreak, Spring Azure, Early Hairstreak, Satern Tailed Lady (Thistle United Marine) and Statern Marines Marines

### Common Bristletails

Silverfish Family including Silverfish, and Firebrat

#### Springtails

Podurid Springtail family including Snow Pea, Seashore Springtail; Entomobryid Springtail family including Ainsley's Springtail; Globular Springtail family

#### Cockroaches

Blattid Cockroach Family including Oriental Cockroach (Asiatic Cockroach, Shad Cockroach), and American Cockroach (Waterbug); Blattellid Cockroaches family including German Cockroach (Croton Bug)

#### Termites

Rotting-wood termite family including Pacific Coast Termite; Subterranean termite family including subterranean termites. Not intended to replace structural treatments. For termites - Do not use this product as the sole source of control for active, structural infestations by subterranean termites; the purpose of this application is to kill workers or winged reproductive forms of termites which are present at the time of treatment. It is not intended to provide structural pest control. It is not a substitute for mechanical alteration, soil and foundation treatment, but merely a supplement. For active, structural infestations by subterranean termites, this product can only be used to supplement a federally registered conventional product that is registered as a sole source for termite control. This product will not eliminate termite infestations or provide protection against future infestation.

#### Earwigs

Long-Horned Earwig family including Ring-legged Earwig, and Riparian Earwig; Common Earwig family including European Earwig

#### Grasshoppers & Crickets

Pygmy Grasshopper family including Aztec Pygmy Grasshopper; Short-Horned Grasshopper family including Creosote Bush Grasshopper Journal of the Committee of the Committe Grasshopper, and Great Crested Grasshopper (Dinosaur Grasshopper) orassingpier, am oreat crested rassingpier (Jinusaut ardssingpier), to Long-horned grasshoppers and Katydidis family including Oblong-winged Katydid, Mormon Cricket, Short-legged Shield back Katydid, California Katydid, Angulaw-winged Katydid, Keeled Shield-back Katydid, Flore Cone-head, Gladiator Katydid, Mescalero Shield-back Katydid, True Katydid (Northern Katydid), and Fork-tailed Bush Katydid, Camel Crickets family including Spotted Camel Cricket, Secret Love Cricket, Jerusalem Cricket: True Crickets family including House Cricket (Cricket and the Heatzh II-jeld Cricket Cladronia Tree Cricket Sonow/Tere Circket. on the Hearth), Field Cricket, California Tree Cricket, Snowy Tree Cricket and Black-horned Tree Cricket; Mole Cricket family including Northern Mole Cricket and European Mole Cricket

### True Bugs

True Bugs
Plant Bug family including Adelphocoris Plant Bugs, Scarlet Plant bugs,
Tarnished Plant Bugs, and Four-lined Plant Bug; Assassin bug family
including Bee Assassins, Wheel Bug; Ambush Bug family including Jake Lace Bug; Seed Bug family
including Small Eastern Milkweed Bug; Long-necked Seed Bug, and Large
Milkweed Bug; Stilt Bug family including Stilt Bugs; Leaf-footed Bug
family including Florida Leaf-footed Bug, and Quash Bug; Scentless Plant
Bug family including Eastern Boxelder Bug and Western Boxelder Bug;
Stink Bug family including Green Stink Bug. Brown Marmorated Stink Bug
Florchymenas, Two-sported Stink Bug (Conspicuous Stink Bug), Alarlequin Brochymenas, Two-spotted Stink Bug (Conspicuous Stink Bug), Harlequin Cabbage Bug (Calico Bug, Fire Bug), and Spined Soldier Bug

#### Cicadas and Kin

Cicada family including Periodical Cicadas, Dogday Harvestfly, and Grand Western Cicada

#### Treehoppers

Treehopper family, including Thorn-mimic Treehopper, Oak Treehopper, Buffalo Treehopper, and Locust Treehopper

Leafhopper family including Grape Leafhopper, Scarlet-and-green Leafhopper, Sharpshooter, Spotted Lanternfly

Banded Thrips family including Banded-wing Thrips; Common Thrips family

Tiger Beetle Family including Beautiful Tiger Beetle, Dainty Tiger Beetle, Six-Spotted Green Tiger Beetle, and Dejean's Flightless Tiger Beetle; Ground Beetle family including Bombardier Beetle, Fiery Searcher (Caterpillar hunter), European Ground Beetle, Green Pubescent Ground Beetle, Common Black Ground Beetle, and Boat-backed Ground Beetle; Predacious Diving Beetle family including Small Flat Diving Beetle, Large Diving Beetle, and Marbled Diving Beetle; Whirligig Beetle family Duving beetle, and Marchei Duving beetle, winning beetle historia including Large Whirligig Beetle, and Small Whirligig Beetle; Histor Beetle family including Hister beetles: Rove Beetle family including Gold-and-brown Rove Beetle and Pictured Rove Beetle; Carrion Beetle family including Margined Burying Beetle, Tomentos Burying Beetle (Gold-necked Carrion Beetle), American Carrion Beetle, and Northern (Gold-necked Carrion Beetle), Almerican Carrion Beetle, and Northern Carrion Beetle; Stag Beetle family including Elephant Stag Beetle, Agassic's Hal-homed Stag Beetle, Reddish-brown Stag Beetle, and Rugose Stag Beetle, Bessbugs family including Patent-leather Beetle (Horned Passabus): Scarab Beetle family including European Chafer Beetle (adults), Flower Chafers [Fruit and Flower Chafers], Leaf Chafers, Rose Chafers, Tumblebugs, Goldsmith Beetle, Green Jumping Beetle, Brown Fruit Chafer, Glossy Pillbug, Grapevine Beetle, May Beetles (June Beetles), Ien-lined June Beetles, and Japanses Beetle, Metaller Wood-Borrig Beetle, Beetle Signed Beetle, Sire-lined June Beetles, and Japanses Beetle, Metaller (Flatheaded Cherry Iree Borer); Click Beetle family including Eastern Eyed Click Beetle Family including Fastern Eyed Click Beetle Signed Family including Paralis Firefly, and Pennsylvania Firefly; Sodier Beetle Simily including Ponsnyl Vania Firefly, 30dier Beetle Simily including Ponsnyl Vania Firefly, and Pennsylvania Firefly; Sodier Beetle Simily including Ponsnyl Vania Eather-wing, and Downy Leather-wing. family including Pennsylvania Leather-wing, and Downy Leather-wing, Multicolored Asian Lady Beetles, Two-spotted Ladybug Beetle, Nine-spotted Ladybug Beetle, Spotless "Nine-spotted" Ladybug, Convergent Ladybug Beetle, and Ash Gray Ladybug Beetle; Darkling Beetles including Horned Fungus Beetle, Broad-necked Darkling Beetle, Plicate Beetle, Vellow Mealworm Beetle, and Ironchad Beetle; Fire-coolord Beetles family including Fire Beetles, Bilster Beetles family including Striped Blister Beetle, Arizona Blister Beetle, Short-winged Blister Beetle, (Oil Beetle); tonghorned Beetle family including Black-horned Pine Borer, Yellow Douglass Fir Borer, Long-jawed Longhorn, Elder Borer (Clausek Ontoth-horn), Twig Pruners, Pine Sawyer (Spined-neck Longhorn), Golden-haired Flower Longhorn, Locust Borer, Black Pine Sawyer (White Spotted Sawyer), Cylindrical Hardwood Borer, Cottonwood Twig Borer, Cottonwood Borer, Giant Root Borers, Ribbed Pine Borer, California Laurel Borer (Banded Alder Borer), Ivory marked Beetle, Red Milkweed Beetle (Eastern Milkweed Longhorn), Notch-tipped

#### Beetles (cont'd)

Flower Longhorn, and Willow Borer; Seed Borer family including Bean Weevil, Leaf Beetle family including Dogwood Calligrapha, Milkweed Tortoise Beetle (Argus Tortoise Beetle), Dogbane Leaf Beetle, Milkweed Leaf Beetle, Willow Leaf Beetle, Spotted Asparagus Beetle, Clavate Tortoise Beetle, Spotted Cucumber Beetle, Waterlily Leaf Beetle, Swamp Milkweed Leaf Beetle, Three-lined Potato Beetle, Old-fashioned Potato Bug, Colorado Potato Beetle, and Girlded Leaf Beetle, Primitive Weevil family including Oak Timberworm Beetle (Primitive Weevil); Snout Beetles and Weevil family including Boll Weevil, Black Oak Acorn Weevil, Lesser Cloverleaf Weevil, Alfalfa Weevil, Pine Weevils, Rose Weevils, Agrave Billbug, and Stored-grain Billbug (Granary Weevil, Elephant Bug); Bark and Ambrosia Beetle family including Red Turpentine Beetle, Pine and Spruce Engraver Beetles, and Bark Beetles.

#### Bees, Ants, Wasps, Sawflies

Cimbicid Sawflies family including Rusty Willow Sawfly; Common Sawfly family including Northeastern sawfly; Horntail family including Pigeon Horntail, and Smokey Horntails; Stem Sawflies family including Raspberry Horntail; Braconids family including Braconid Wasps; Ichneumons family including Giant Ichneumons, Short-tailed Ichneumor and Red-tailed Ichneumon; Torymid Wasp family including California and Red-taled Chneumor; Torymid Wasp tamlly including California Torymus; Chalcid Famly including Golden-yellow Chalcid; Gall Wasp family including California Oak Gall Wasps and Live Oak Gall Wasp; Pelecinid famly including American Pelicini; Tiphihid Wasp family including Five-Amoded Tiphihid Wasp; Velvet-Ants including Five-Amoded Tiphihid Wasp; Velvet-Ants including five-Amoded Tiphihid Wasp; Network of Wasp family including Scarab-hunter Wasp, and Digger Wasp; Ant Tamlly including Spine-waisted ants, Leafcutter ants, Texas Carpenter ants, Black Carpenter ants, Crater-nest ants, Crazy Ants, Tawny Crazy Ants, Texas Shed-builder and (Eccobst And Pad Ant Leainage, and Intitle Riber Ant Larpenter ants, Crater-nest ants, Crazy Ants, Lawny Crazy Ants, Lexas Shed-builder and facrobat Ant, Bed Ant, Legionary Ant, Little Black Ant, Arid Lands Honey Ant, Big-headed Ant, Honey Ant, and Fire Ant; Vespid Wasp Family including Potter Wasp, Paper Wasps, Yellow Jackets, and Sandhills Hornet: Spider Wasps including Blue-black Spider Wasps, and Tarantula Hawk: Sphecid Wasps family including Thread-waisted Wasps, Eastern Sand Wasp, Steel-blue Cricket Hunter, Purplish-blue Cricket Hunter, Purplish-Use Cricket Marge, Eastern Sand Wasp, Steel-blue Cricket Hunter, Purplish-Jule Cricket Marge, Edica and Vallow Mul Duuber, Cricada Hunter, Florida Hunting Wasp, Black and Yellow Mud Dauber, Cicada Killer, and Great Golden Digger Wasp; Bee families including Plasterer Bee, Yellow-faced Bees, Virescent Green Metallic Bees, Augochlora Green Metallic Bees, Alkali Bee, Mining Bee, Willow Mining Bee, Nevada Mining Bee, Clarkia Bee, Faithful Leafcutting Bee, Western Leafcutting Bee, Mason Bees, California Leafcutting Bee, Digger Bees, Western Cuckoo Bee, California Carpenter Bee

Flies
Crane fly family including Wood-boring Tupulid, Giant Western Crane Fly, and Crane Flies: Phantom Crane Flies including Phantom Crane Fly, and Crane Flies: Phantom Crane Flies including Phantom Crane Fly; Net-winged Midges; Phantom Midges; Black Flies including Gomstock's Net-winged Midge; Phantom Midges; Black Flies including Black Flies; March Flies family including March Flies; Flower-loving Fly family including Flower-loving Fly family including Flower-loving Fly; Mydas Fly; Mamly including Flower-loving Fly; Mydas Fly; Mamly including Black Fly; Mamly including Black Fly; Mamly including Black Fly; Large Bee Flies; and Progressive bee Flies; Dance Flies; Including Black Fly; Large Bee Flies; and Frogressive bee Flies; Dance Flies; Including Black Flies; Long-Legged Flies including Condylostylid Long-legged Flies; and Texan Long-legged Fly; Mover Fly Tamily including Woodlity Black Hover Flies; Allong-legged Flies; Dance Flies; Flow Fly; Flies; Black Flies; Fruit Fly family including Moromerus Hover Fly; Thick Headed fly; Pyrgotid Flies; Fruit Fly family including Walnut Husk Fly; and Apple Maggot Fly; Seawed Fly family including Marsh flies; Shore fly family including Yellowstone Brine Fly; Pomace fly family including Walnut Husk Fly; and Apple Maggot Fly; Seawed Fly; Mussic fly fly family including House Fly; And Bitting Stable Fly; Louse Fly family, Blow Fly Vinscal Fly; And Bitting Stable Fly; Louse Fly family, Blow Fly including House Fly, and Biting Stable Fly; Louse Fly family, Blow Fly

#### Flies (cont'd)

family including Blue Bottle Fly, Screw-worm Fly, and Green Bottle Fly; Flesh Fly family including Flesh flies; Tachinid Fly family including Beelike Tachinid Fly, Early Tachinid Fly, Repetitive Tachinid Fly, Tachina Fly, and Fringe-legged Tachinid Fly

Folding trapdoor spider family including Turret spider; Tarantula family including Desert Tarantula; Trapdoor Spider family including California Trapdoor spider; Dictynid spider family including Branch-yip spiders; Spitting spider family including Spitting spiders; Violin Spider family including Desert Loxosceles, and Violin Spider; Comb-footed Spider family including American House Spider: Sheet-web Weaver family tamuly uncluding American house spiders, need-web weaver ramily including Hamock Spider; Orb Weaver family including Orb weavers, barn spider, Garden spider (cross spider), Marbled orb Weaver, Shamrock Spider, Six-spotted Orb-weaver, Siber Argiope, Black-and-Yellow Argiope, Crablike Spiny Orb Weaver, Bola Spider, Arrow-shaped Micrathena, and Golden-silk spider (radico spider); Large-jawed Orb Weaver family including Mabel Orb Orbard Spider, Weavest Greath of Spider, Black Spiders, Web Weaver family including Grass Spiders; Nursery Web Spider family including Brownish-grey Fishing Spider, Six-spotted Fishing spider, and Nursery Web Spider; Wolf Spider family including Burrowing Wolf Spiders, Carolina Wolf spider, Forest Wolf spider, rabid wolf spider, and Thin-legged Wolf spider, Lynx Spider family including Jumping Lynx spider, and green lynx spider, Sac Spider family including Jumping Ant-minic spiders, Wandering spiders Wandering spiders (Saint Crab spider Family including Wandering spiders; Giant Crab spider Family including Huntsman spider, and Golden Huntsman crab Spider; Selenopid Crab Spider family including Selenopid Crab Spider; Crab Spider family including Goldenrod spider (flower spider, red-spotte Crab Spider), Elegant Crab Spider, Thrice-banded Crab Spider; Philodromid family including Inconspicuous Crab Spiders; Jumping Spiders including Green Lyssomanes, Dimorphic Jumping Spider, Metaphid Jumping Spider, Ant-minic Jumping spider, and Daring Jumping spider, Daddy-Jong-legs family including Eastern Daddy-Jong-legs and Brown Daddy-long-legs

Blacklegged tick, Brown dog tick, Deer tick, Lone Star tick

## Psyllid, Whiteflies, Aphids, Mealybugs, Scale Insects

Psyllid family including American Alder Psyllid; Whitefly family including Greenhouse Whitefly; Aphid family including Green Apple Aphid, Rosy Apple Aphid, Rose, Pea and Potato Aphid, Root Aphid, Coudy-winged Appre Appro, Nose, Prea dur vratur Apprin, Noou Appring, Coury-Vingeu Cottonwood Aphil, and Giant Willow Aphid; Woolly and Gall-Making Aphid family including Woolly Apple Aphid; Giant Scale Insects family including Cotton Vushion Scale; Armored Scale Insects family including Oyster Shell Scale; Mealybug family including Long-tailed mealybug; Cochineal Bug family including Cochineal bug

Millipedes including soft millipedes, Florida millipede, Almond millipede, North American millipede and flat millipedes