

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Trade name : Amdro Quick Kill Mosquito Fogger
 Synonyms : 100530550; EPA Reg. No.: 2724-677-90098; 8-13576-00436-1

1.2. Recommended use and restrictions on use

Recommended use : Insecticide.
 Restrictions on use : Keep out of reach of children. Avoid all contact with skin, eyes, or clothing. Keep away from heat, sparks and flame. Use only outdoors or in a well-ventilated area.

1.3. Supplier

Central Garden & Pet Company, Garden Division
 1000 Parkwood Circle, Suite 700
 Atlanta, GA 30339 - United States

1.4. Emergency telephone number

Emergency number : 1-800-265-0761
 1-800-424-9300 - CHEMTREC
 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Flammable aerosol Category 2	Flammable aerosol
Gases under pressure Compressed gas	Contains gas under pressure; may explode if heated
Skin corrosion/irritation Category 2	Causes skin irritation
Specific target organ toxicity (single exposure) Category 3	May cause drowsiness or dizziness
Aspiration hazard Category 1	May be fatal if swallowed and enters airways

2.2. GHS Label elements, including precautionary statements

GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

Flammable aerosol
 Contains gas under pressure; may explode if heated
 May be fatal if swallowed and enters airways
 Causes skin irritation
 May cause drowsiness or dizziness

Precautionary statements (GHS-US) :

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Do not spray on an open flame or other ignition source.
 Pressurized container: Do not pierce or burn, even after use.
 Avoid breathing dust/fume/gas/mist/vapors/spray.
 Wash hands, forearms and face thoroughly after handling.
 Use only outdoors or in a well-ventilated area.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If swallowed: Immediately call poison center or doctor
 If on skin: Wash with plenty of water
 If inhaled: Remove person to fresh air and keep comfortable for breathing
 Call poison center or doctor if you feel unwell
 Specific treatment (see supplemental first aid instruction on this label)
 Do NOT induce vomiting.
 If skin irritation occurs: Get medical advice/attention.
 Take off contaminated clothing and wash it before reuse.

Amdro Quick Kill Mosquito Fogger

Safety Data Sheet

Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Dispose of contents/container to in accordance with local/regional/national/international regulations

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : This product is extremely toxic to aquatic organisms, including fish and invertebrates. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Etofenprox	(CAS-No.) 80844-07-1	0.5
Tetramethrin	(CAS-No.) 7696-12-0	0.2
Piperonyl butoxide	(CAS-No.) 51-03-6	1
Distillates (petroleum), hydrotreated light	(CAS-No.) 64742-47-8	11
1,1-Difluoroethane	(CAS-No.) 75-37-6	5
Butane	(CAS-No.) 106-97-8	6.16
Propane	(CAS-No.) 74-98-6	8.34
Other ingredients	(CAS-No.) N/A	Balance

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Do not induce vomiting. Call a physician immediately. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after ingestion : Risk of lung edema.

4.3. Immediate medical attention and special treatment, if necessary

Contains petroleum distillate vomiting may cause aspiration pneumonia. Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Avoid heavy hose streams.

5.2. Specific hazards arising from the chemical

Fire hazard : Flammable aerosol.

Explosion hazard : Pressurized container. At temperatures above 130°F, container may rupture.

Reactivity : Flammable aerosol. Pressurized container: may burst if heated.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Do not use direct stream of water. A direct stream of water may spread fire. Ventilate closed spaces before entering. Do not breathe gas/fumes/vapor/spray.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Amdro Quick Kill Mosquito Fogger

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: Exposure controls/personal protection.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Keep away from fire, sparks, and heated surfaces. Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal. Use appropriate PPE.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing fumes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Keep from freezing. NFPA Aerosol Classification: Level 1.

Incompatible materials : Heat, sparks, open flame.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1,1-Difluoroethane (75-37-6)		
AIHA	WEEL TWA (ppm)	1000 ppm
Butane (106-97-8)		
ACGIH	ACGIH STEL (ppm)	1000 ppm
NIOSH	NIOSH REL (TWA) (mg/m ³)	1900 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	800 ppm
Propane (74-98-6)		
ACGIH	Remark (ACGIH)	Simple Asphyxiant
OSHA	OSHA PEL (TWA) (mg/m ³)	1800 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
IDLH	US IDLH (ppm)	2100 ppm (10% LEL)
NIOSH	NIOSH REL (TWA) (mg/m ³)	1800 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Amdro Quick Kill Mosquito Fogger

Safety Data Sheet

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Aerosol spray
Color	: White
Odor	: Moderate hydrocarbon
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Flammable aerosol
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.9
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Pressurized container: may burst if heated
Oxidizing properties	: Not applicable
VOC content	: 14.5 %
Flame extention	: 0 in
Heat of combustion	: 16.46 KJ/g

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable aerosol. Pressurized container: may burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

Amdro Quick Kill Mosquito Fogger

Safety Data Sheet

10.5. Incompatible materials

Heat, sparks, open flame. Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition may occur when heated producing oxides of carbon and nitrogen, volatile hydrocarbon vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Amdro Quick Kill Mosquito Fogger	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 2.03 mg/l/4h
Vaporizer	Aerosol

GHS-US Properties	Classification
Acute toxicity	Not classified
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	Not classified
Germ cells mutagen	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicant (single exposure)	May cause drowsiness or dizziness.
Specific target organ toxicant (repeated exposure)	Not classified
Aspiration hazard	May be fatal if swallowed and enters airways.

Potential health effects

Inhalation

Acute : May cause drowsiness and dizziness.

Skin

Acute : May cause mild skin irritation.

Eye

Acute : Essentially non-irritating.

Ingestion

Acute : Aspiration hazard - small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

Mutagenicity

: Etofenprox has been found negative for mutagenicity potential using the Ames test, chromosomal aberration and micronucleus test methods, Tetramethrin is not a mutagen, Piperonyl butoxide was not mutagenic in a battery of tests.

Carcinogenicity

: Etofenprox is not classified as carcinogen by NTP, IARC and OSHA, Tetramethrin is not listed as a carcinogen by IARC, NTP or OSHA, Piperonyl butoxide is not classified as carcinogen by NTP, IARC and OSHA.

Reproductive Effects

: Etofenprox did not produce teratogenic or reproductive effects in laboratory experiments, Tetramethrin is not a teratogen, Piperonyl butoxide did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits.

SECTION 12: Ecological information

12.1. Toxicity

Etofenprox (80844-07-1)	
LC50 Acute fish 1	0.0027 mg/l (Exposure time: 96h - Rainbow trout)
LC50 Acute fish 2	> 0.0165 (Exposure time: 96h - Sheepshead minnow)
LC50 Acute crustacea 1	0.0000188 mg/l (Exposure time: 96h - Mysid shrimp)
LC50 Acute crustacea 2	0.0008 mg/l (Exposure time: 48h - Daphnia magna)
NOEC Chronic crustacea 1	0.00017 mg/l (Daphnia magna)

Amdro Quick Kill Mosquito Fogger

Safety Data Sheet

Tetramethrin (7696-12-0)	
LC50 Acute fish 1	0.0037 mg/l (Exposure time: 96h - Rainbow trout)
LC50 Acute fish 2	0.016 mg/l (Exposure time: 96h - Blue gill)
LC50 Acute crustacea 1	0.11 mg/l (Exposure time: 48h - Daphnia magna)
Piperonyl butoxide (51-03-6)	
LC50 Acute fish 1	1.9 mg/l (Exposure time: na - Rainbow trout)
LC50 Acute fish 2	3.94 mg/l (Exposure time: na - Sheepshead minnow)
LC50 Acute crustacea 1	0.49 mg/l (Exposure time: na - Mysid shrimp)
LC50 Acute crustacea 2	0.51 mg/l (Exposure time: na - Gammarus fasciatus (amphipod))
NOEC Chronic fish 1	0.04 mg/l (Fathead minnow)
NOEC Chronic crustacea 1	0.03 mg/l (Daphnia magna)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Butane (106-97-8)	
Log Pow	2.89
Log Kow	2.89
Propane (74-98-6)	
Log Pow	2.3
Log Kow	2.36

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Amdro Quick Kill Mosquito Fogger	
Ecological Fate	This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	UN1950	Aerosols, Flammable	2.1	Not applicable	Not applicable
IMDG	UN1950	Aerosols, flammable (contains Etofenprox)	2.1	Not applicable	Marine pollutant
IATA	UN1950	Aerosols, flammable (contains Etofenprox)	2.1	Not applicable	Acute aquatic toxicity

SECTION 15: Regulatory information

15.1. US Federal regulations

Tetramethrin (7696-12-0)	
Subject to reporting requirements of United States SARA Section 313	
SARA Section 313 - Emission Reporting	1 %

Amdro Quick Kill Mosquito Fogger

Safety Data Sheet

Piperonyl butoxide (51-03-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Subject to reporting requirements of United States SARA Section 313	
SARA Section 313 - Emission Reporting	1 %
Distillates (petroleum), hydrotreated light (64742-47-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
1,1-Difluoroethane (75-37-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Butane (106-97-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Propane (74-98-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
FIFRA Labelling	
EPA Registration Number	2724-677-90098
This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.	
FIFRA Signal word	Caution
FIFRA Precautionary Statement	KEEP OUT OF REACH OF CHILDREN.
FIFRA Hazards to Humans and Domestic Animals	Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. When using, wear long sleeved shirt, long pants, shoes and socks. Repeated exposure to etofenprox can cause skin irritation.
FIFRA First Aid	IF IN EYES Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF SWALLOWED: Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person. Note to Physician: Contains petroleum distillate - vomiting may cause aspiration pneumonia.
FIFRA Environmental Hazards	This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and runoff may be hazardous to fish in water adjacent to treated areas. See Directions for Use for additional precautions and requirements.
FIFRA Physical Hazard	Contents under pressure, Do not use or store near heat or open flame, Do not puncture or incinerate, Exposure to temperatures above 130° F may cause bursting, Do not use on surfaces that can be harmed to stained by water

15.2. US State regulations

No additional information available

SECTION 16: Other information

Date of issue : 10 May 2017
Revision date : 20 February 2018

Indication of changes:
Revised Sec. 2.

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.